











Digital Microprocessor Controller



RLCG0100 Refrigerated Cooled Incubator Glass Door

This 88 litre cooled incubator is ideal for microbiology or any application where precise and consistent temperatures at or below room temperature are required.

With a robust painted steel exterior and stainless steel interior and fully adjustable shelves, this incubator is versatile and built to last.

Complete with an access port and internal light this incubator offers temperature precision of better than ± 0.5 °C at 4°C and ± 1 °C at 20°C.

Part Number	RLCG0100
Capacity (Litres)	88
Style	Benchtop
Exterior Dimensions (HxWxD)	860 x 500 x 535mm
Interior Dimensions (HxWxD)	565 x 420 x 335mm
Weight	40kg
Energy Consumption	2kWh/24hr
Operating Temperature	+5°C to +40°C
Interior Construction	Stainless Steel
Exterior Construction	Enamelled Steel
Door Style	Glass
Door Hinging	Right
Shelves	2
Shelf dimension (WxD)	330 x 410 mm
Spare shelves available	\checkmark
Internal Light	\checkmark
Temperature display	✓
Microprocessor controlled temperature regulation	✓
Fan assisted temperature control	✓
Access Port	✓
Auto Defrost	Х
Eco Friendly Refrigerant	✓



