









Digital Microprocessor Controller

Labcold Cooled Incubators are also available in 88 litre, 150 litre and 600 litre capacity

Most models have the choice of glass or solid door

## RLCG0300 Refrigerated Cooled Incubator Glass Door

This 300 litre cooled incubator is ideal for microbiology or any application where precise and consistent temperatures at or below room temperature are required.

With a robust painted steel interior and exterior and fully adjustable shelves, this incubator is versatile and built to last with temperature uniformity of better than  $\pm 0.5^{\circ}$ C at 4°C and  $\pm 1^{\circ}$ C at 20°C.

This model is also available with a solid door, please see **Labcold** model RLSD0300

Part Number	RLCG0300
Capacity (Litres)	300
Style	Freestanding
Exterior Dimensions (HxWxD)	1487 x 600 x 650mm
Interior Dimensions (HxWxD)	1360 x 500 x 400mm
Weight	75kg
<b>Energy Consumption</b>	0.9kWh/24hr
Operating Temperature	+5°C to +40°C
Interior Construction	Powder Coated Aluminium
Exterior Construction	Enamelled Steel
Door Style	Glass
Door Hinging	Right
Lock	Manual Key
Shelves	3
Shelf dimension (WxD)	495 x 460mm
Spare shelves available	$\checkmark$
Temperature display	$\checkmark$
Microprocessor controlled temperature regulation	$\checkmark$
Fan assisted temperature control	$\checkmark$
Access Port	$\checkmark$
Auto Defrost	X
Eco Friendly Refrigerant	$\checkmark$

## 01256 705 570

www.labcold.com

